

# wellgo

[www.wellgo.com.tw](http://www.wellgo.com.tw)

2013





## Quick Release Device

One piece constructure to use a locker to fasten the axle housing.



\* The new design has no interference on the platform surface.

Test Report



Contract No.: 20230023

Issue Date: Jan. 26, 2023

Applicant: WELLGO-BIKE CO., LTD.

Address: NO. 1, KONG TAI ROAD, YANTAI, SH. PROVINCE

427010, CHINA, TEL: 0535-3500000, FAX: 0535-3500001

Product: Quick release tool cranks and pedal assembly

Model No.: QRC-40

Test Method: GB 5267-2005 Racing Bicycle Cranks and Pedal Assembly and use methods, GB 5267-2005 Crank assembly - Safety test.

Note: (1) The product is supplied by the applicant which has been tested by TSC and the test results are shown in this report.

(2) The test report is valid only for the test product and for the use.

(3) The test report is for the product which shall not be changed and shall not be used for other products without the approval of the applicant.

Approved by: [Signature] Tested by: [Signature]

Product No.: 20230023

CNC

RELIABILITY

Test Report

## ONE PIECE CONSTRUCTURE

To make the quick release crank and the pedal function as one.

## COMFORT

The new design has no interference on the platform surface.


## RELIABILITY

One piece design to make sure the security.

\* With a locker to fasten the pedal into the crank.



Locker



BCD : 130mm  
BODY : Aluminum 6061 forged



# wellgo

YOUR ONLY SOURCE  
FOR PEDALS



## Quick Release Device

WELLGO QRD is available for many of our new and existing pedals in every category.


No tools are required and pedals can be removed with a flick of a finger.

The QRD design offers portability and additional security for bicycles when they are parked.

The ability to quickly remove the pedals without any tools saves time when storing your bike in tight spaces (e.g. car, closet, box).



[illegible]



Exploded



## USED TO

## FACTORY FOCUSED

Thin & Light



CITY

**LU-884**

33mm



**C098**

23.7mm



MTB

**LU-954**

30.3mm



**M-21**

24mm



BMX

**LU-A8**

34.4mm



**B181**

18mm



# 2013

## TABLE OF CONTENTS



MTB



ROAD



CITY



TREKKING



BMX



EXERCISER



FOLDING



Indicator window



Grease hole design for easily maintenance.



Magnesium & Aluminum Body



Quick Release Device



Multi fuction

Replaceable Pin



A-Pin



U-Pin



R-Pin



V-Pin



C-Pin



T-Pin

**NEW**

**08**

**MTB**

**15**

**ROAD**

**20**

**CITY/TREKKING**

**26**

**PLATFORM**

**31**

**EXERCISER  
FOLDING**

40

41

**ACCESSORIES**

**42**

**FOOT GUARD**

46

**STILL AVAILABLE**

**46**

# M177B



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 84 \* 64.5 \* 34 mm
- **OPTION** : Ball bearing version as M177
- **ORIGIN** : Taiwan



## FEATURES:

MTB Dual-Sided Clipless innovative element: extended stepping width design to improve the riding comfortable, the low profile design makes the pedal even lighter and attractive... the reinforcement streamline body even more stronger.

With anti-scratch concept and adjustable tension design makes the engaging and disengaging more easy and smooth, The tension screw could be adjusted with many stages according to rider's demands and the open indicator could gives the riders easy read adjusting the tension stages. This provide the advantage for the safety and better function.

## M194



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 100 \* 99.3 \* 23 mm
- **OPTION** : M194V M194C
- **ORIGIN** : Taiwan

## M195



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 100 \* 100 \* 26.2 mm
- **OPTION** : Sealed bearing version as M195B  
M195BV M195BC
- **ORIGIN** : Taiwan

## R183



- **BODY** : Aluminum / ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 101.5 \* 63.2 \* 24 mm
- **OPTION** : Sealed bearing version as R183B
- **ORIGIN** : Taiwan



## ■ R191B



- **BODY** : Aluminum / Barrel silver with kraton top
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **OPTION**: Ball bearing version as R191
- **SIZE** : 90 \* 87.5 \* 32 mm
- **ORIGIN** : Taiwan



## ■ R200



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum / ED black or anodized Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63.2 \* 22 mm
- **OPTION** : Sealed bearing version as R200B
- **ORIGIN** : Taiwan & China

## ■ R199




- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63.2 \* 22 mm
- **ORIGIN** : Taiwan & China

## ■ C193



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **CAGE** : Aluminum / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 110 \* 67.2 \* 23 mm
- **OPTION** : C193V C193C
- **ORIGIN** : Taiwan



# C176B



- **BODY** : Aluminum / Barrel silver or ED black
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **OPTION** : Ball bearing version as C176
- **SIZE** : 104 \* 63.2 \* 28 mm
- **ORIGIN** : Taiwan



## FEATURES:

Trekking single-sided clipless innovative element: The waving linear design on the body makes the design more vitality and out of the conventional concept, the extended stepping width also improves the riding even more comfortable

The tension screw could be adjusted with many stages as per rider's demands and the indicator design gives the riders awareness the adjusting stages. In addition, the outer cage design also provides better traction while riding and the safety.

## C201



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **OPTION** : Sealed bearing version as C201B
- **SIZE** : 110 \* 80 \* 25 mm
- **ORIGIN** : Taiwan & China

## C202



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **OPTION** : Sealed bearing version as C202B
- **SIZE** : 110 \* 80 \* 25 mm
- **ORIGIN** : Taiwan & China

## C172



- **BODY** : Plastic with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106.5 \* 81 \* 24.8 mm
- **ORIGIN** : Taiwan



# B181



- **BODY** : Aluminum forged / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **OPTION** : B181R B181V
- **SIZE** : 104 \* 63.2 \* 28 mm
- **ORIGIN** : Taiwan

## FEATURES:

- \* Aluminum forged body with CNC machine.
- \* Light and strong, only 315g/pr.
- \* Super thin platform design with lower stepping surface to increase the riding efficient.



## ■ B158



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 109.5 \* 109 \* 26 mm
- **OPTION** : B158V B158C
- **ORIGIN** : Taiwan

## ■ B184



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 105.5 \* 100 \* 27 mm
- **OPTION** : B184R B184V
- **ORIGIN** : Taiwan

## ■ B190



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 102 \* 103.8 \* 19.8 mm
- **OPTION** : B190V B190C B190A
- **ORIGIN** : Taiwan

5

10mm



## ■ B185



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 111 \* 100 \* 27 mm
- **OPTION** : B185R B185V
- **ORIGIN** : Taiwan

## ■ B180



- **BODY** : Aluminum / ED black or painted color / Magnesium / Painted color
- **SPINDLE** : Boron or Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 109.3 \* 100 \* 30 mm
- **OPTION** : Sealed bearing version as B180B  
B180BU B180BA B180BR   
B180BV B180BC
- **ORIGIN** : Taiwan

## ■ B197



- **BODY** : Plastic black
- **SPINDLE** : Boron or Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 90 \* 31.7 mm
- **ORIGIN** : Taiwan

## ■ E179



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 113 \* 62.6 \* 30 mm
- **OPTION** : Sealed bearing version as E179B
- **ORIGIN** : Taiwan

## ■ F178

- **BODY** : PC black
- **CAGE** : PC black or translucent color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 80.5 \* 28 mm
- **ORIGIN** : Taiwan & China



# NTP

**N** NEW LOCKING SYSTEM & NORMAL WALKING

**R** REDUCING CHANCE OF INJURY

**P** PRACTICAL VAUAL

▲ EASY CLIP IN DESIGN.

▲ MORE PRACTICAL VALUE FOR BOTH CLIP IN SYSTEM AND REGULAR WEARING.

▲ REDUCE THE CLEAT REPLACEMENT COST.

When people rides clipless pedal, there might have some unexpected danger occurred.

Some people might forget to release from the pedal which might cause some serious injury or accident. But worry not, this revolutionary design allows you to release vertically from the pedal.

Even under an emergency situation, it would allow easy release to avoid any possible injury and accident.

The softer sole of the shoes also provides more comfort to the rider and make it multi-functional to riders. Now, you can not only use this shoes for clipping into the pedal, but also uses it as a comfort running/walking shoes.



Vertical  
clip in



Release  
system

Protector design





## ■ NRP-BW



- **SIZE** : #37 ~ #39
- **SOLE** : Double injection molding with TPU new clipless mechanism.
- **MATERIAL** : Microfabric leather with reflect woven tape and air mesh upper.  
Injection whole piece heel cover cage.
- **COLOR** : Light Blue / White



## ■ NRP-SW



- **SIZE** : #40 ~ #44
- **SOLE** : Double injection molding with TPU new clipless mechanism.
- **MATERIAL** : Microfabric leather with reflect woven tape and air mesh upper.  
Injection whole piece heel cover cage.
- **COLOR** : Silver / White

## ■ C170



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 106 \* 78 \* 31 mm
- **OPTION** : C170V C170C
- **ORIGIN** : Taiwan



## ■ B171



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104 \* 100 \* 31.5 mm
- **OPTION** : B171V B171C
- **ORIGIN** : Taiwan





# M094B



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 80.9 \* 65.3 \* 33.8 mm
- **OPTION** : Ball bearing version as M094
- **ORIGIN** : Taiwan



Unique  
mechanism design.



Variable levels  
tension adjusted.



## FEATURES:

- \* Unique mechanism design offers superior mud shedding while riding.
- \* Dual sided clipless pedal, rear tension adjustment function, use 3mm tool, variable levels tension adjusted.
- \* With waterproof seal.

## W-01



- **BODY** : Aluminum /  
ED black or painted color ;  
Magnesium / Painted color
- **SPINDLE** : Ti or Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 80.1 \* 64.5 \* 30.6 mm
- **ORIGIN** : Taiwan



## WAM-M19



- **BODY** : Aluminum /  
ED black or painted color
- **SPINDLE** : Ti or Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 79.8 \* 59.8 \* 30.1 mm
- **ORIGIN** : Taiwan



## ■ WPD-801



- **BODY** : Aluminum/ ED black or painted color
- **SPINDLE** : Ti or Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 82.4 \* 66.8 \* 32.8 mm
- **OPTION** : Magnesium version as MG-18
- **ORIGIN** : Taiwan

## ■ WAM-M717



- **BODY** : Cr-Mo investment / Painted color
- **SPINDLE** : Ti or Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 83.6 \* 57.8 \* 29.3 mm
- **ORIGIN** : Taiwan

## ■ WPD-823



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 81.4 \* 63 \* 34.5 mm
- **ORIGIN** : Taiwan

## ■ WAM-M18



- **BODY** : Cr-Mo investment /  
ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 78.6 \* 61.7 \* 31.5 mm
- **ORIGIN** : Taiwan

## ■ WAM-M919



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 83.8 \* 58.9 \* 35.5 mm
- **ORIGIN** : Taiwan



## ■ M151

### Patent on length-changing design

\* User could change the pedal size to meet their own needs.



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **CAGE** : Aluminum / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107 \* 60 \* 22 mm
- **ORIGIN** : Taiwan



## ■ M167



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 97.5 \* 62 \* 22 mm
- **ORIGIN** : Taiwan



## ■ M163



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 100.3 \* 62 \* 22 mm
- **ORIGIN** : Taiwan



## ■ M079



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 100.8 \* 60 \* 24.4mm
- **OPTION** : M079V M079C
- **ORIGIN** : Taiwan





## ■ M142



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 100 \* 60 \* 24.5 mm
- **OPTION** : M142V M142C
- **ORIGIN** : Taiwan

## ■ M138



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 102 \* 68 \* 29 mm
- **OPTION** : M138V M138C
- **ORIGIN** : Taiwan

## ■ LU-C28



- **BODY** : Aluminum forged / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 101.1 \* 64.4 \* 21.5 mm
- **ORIGIN** : Taiwan

## ■ M111




- **BODY** : Aluminum forged / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 99 \* 61 \* 18 mm
- **ORIGIN** : Taiwan

## ■ M-20



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 101.1 \* 63 \* 24 mm
- **ORIGIN** : Taiwan

## ■ M149



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 97 \* 63 \* 24 mm
- **OPTION** : Sealed bearing version as M149B
- **ORIGIN** : Taiwan

## ■ M-21



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 100.7 \* 63 \* 24 mm
- **ORIGIN** : Taiwan & China

## ■ M085



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63 \* 24 mm
- **ORIGIN** : Taiwan & China

## ■ M095



- **BODY** : One piece plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 76 \* 25.5 mm
- **ORIGIN** : Taiwan & China

## ■ M189

Mountable with "snap in" toe clip system



- **BODY** : One piece plastic black
- **SPINDLE** : Boron or Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 103.5 \* 78 \* 25.5 mm
- **ORIGIN** : Taiwan & China





# R168



- **BODY** : Engineering plastics
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : 3 Sealed
- **CLEAT** : RC7A/ B/ C compatible
- **SIZE** : 89.8 \* 81 \* 32.5 mm
- **ORIGIN** : Taiwan



Tension indicator



Stainless plate "To prevent the scratch from movement".



## FEATURES:

- \* One piece body forming with the stainless plate providing better smoothing and prevent to scratch from movement.
- \* Wider and larger step surface makes the step more comfortable.
- \* Using the ultra light weight Engineering Plastics for pedal body.
- \* Using 3 bearings for better function and easy for replacement and maintenance.
- \* Has the tension indicator with anti-loose design.

## POSI-R168

### WELLGO first innovates Auto Reset Positioner

By using the magnet element, to control the clipless step entry side to the position whatever which angle the user wants to set.



By this positioner, the user could be easily to clip the shoes onto the pedal without looking at the pedal and reduce the injury for missing the engagement.



**TBEA**  
Taiwan Bicycle  
Exporters' Association

2011 TBEA Creative Bicycles,  
Parts and Accessories  
Competition Award.

## ■ R096B



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : Needle / Sealed
- **CLEAT** : RC7A/ B/ C compatible
- **SIZE** : 81 \* 87 \* 33 mm
- **OPTION** : Ball bearing version as R096
- **ORIGIN** : Taiwan



## ■ R120B



- **BODY** : Aluminum / Barrel silver or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 85 \* 84 \* 33.5 mm
- **OPTION** : Ball bearing version as R120 with mold pin  
R120BA R120BV R120BC
- **ORIGIN** : Taiwan



## ■ R146R



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 85 \* 86 \* 32 mm
- **OPTION** :  
Sealed bearing version as R146 with mold pin  
R146A R146V R146C
- **ORIGIN** : Taiwan

## ■ MG-9



- **BODY** : Magnesium / Painted color
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **CLEAT** : RC-5 / RC-6 ,  
LOOK "ARC" compatible
- **SIZE** : 85.2 \* 95.8 \* 34.2 mm
- **ORIGIN** : Taiwan

## ■ CR-1



- **BODY** : Magnesium with carbon fiber wrap
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : Needle / Sealed
- **CLEAT** : RC-5 / RC-6 ,  
LOOK "ARC" compatible
- **SIZE** : 85 \* 93.4 \* 33.2mm
- **ORIGIN** : Taiwan

## ■ W-40



- **BODY** : Aluminum / ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : RC-5 / RC-6 ,  
LOOK "ARC" compatible
- **SIZE** : 85 \* 92 \* 33 mm
- **OPTION** : Sealed bearing version as W40B
- **ORIGIN** : Taiwan

## ■ MG-8



- **BODY** : Magnesium / Painted color
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 79.8 \* 64.8 \* 27.8 mm
- **ORIGIN** : Taiwan

## ■ RC-713



- **BODY** : Aluminum / Polished or painted color
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 79.8 \* 65.3 \* 27.9 mm
- **ORIGIN** : Taiwan

## ■ W-41



- **BODY** : Cr-Mo investment /  
ED black or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 78.6 \* 54.2 \* 24.3 mm
- **OPTION** : Sealed bearing version as W-41B
- **ORIGIN** : Taiwan

## ■ W-43



- **BODY** : Aluminum / Barrel silver or painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 90 \* 100 \* 32.5 mm
- **ORIGIN** : Taiwan



## ■ W-44B



- **BODY** : Aluminum / ED black or painted color  
Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 82.8 \* 76 \* 46.8 mm
- **OPTION** : Ball bearing version as W44
- **ORIGIN** : Taiwan





## ■ WR-1



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 93 \* 61.5 \* 22 mm
- **ORIGIN** : Taiwan

## ■ LU-C16



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo or Ti
- **BEARING** : DU / Sealed
- **SIZE** : 92.9 \* 61.5 \* 22 mm
- **ORIGIN** : Taiwan

## ■ R074



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 91.5 \* 60 \* 21.6 mm
- **ORIGIN** : Taiwan

## ■ R110B



- **BODY** : Aluminum / Barrel silver or polished
- **CAGE** : Aluminum / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 88 \* 68.6 \* 29 mm
- **OPTION** : Ball bearing version as R110
- **ORIGIN** : Taiwan

## ■ R126



- **BODY** : Aluminum / Barrel silver or polished
- **CAGE** : Aluminum / ED black or anodized Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 104.6 \* 63 \* 24 mm
- **OPTION** : Sealed bearing version as R126B
- **ORIGIN** : Taiwan & China

## ■ R125



- **BODY** : Plastic black
- **CAGE** : Aluminum / ED black or anodized Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 104.6 \* 63.2 \* 24 mm
- **ORIGIN** : Taiwan & China

## ■ R025



\* Mountable with steel toeclip with leather wrapped which could prevents shoes from scratch. Leather strap available in black, brown and white.

\* 2 pieces cut cage design offers premium ground clearance.

- **BODY** : Aluminum/ Barrel silver or polished
- **CAGE** : Aluminum / ED black or Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 90.1 \* 64.8 \* 27.7 mm
- **OPTION** : Sealed bearing version as R025B
- **ORIGIN** : Taiwan

## ■ R104



\* one piece aluminum Classic cage shape, fashion but also elegant to mountable with steel toeclip and leather strap.

- **BODY** : Aluminum/ Barrel silver or polished
- **CAGE** : Aluminum / ED black or Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 104 \* 65.6 \* 30.8 mm
- **OPTION** : Sealed bearing version as R104B
- **ORIGIN** : Taiwan

## W-5 Single leather strap



## W-6 Double leather strap



## MT-16

Steel toe-clip with cp finished.  
Size: M / L / XL

## MT-20

Steel toe-clip with cp finished.  
Size: M / L

## MT-21

Steel toe-clip with cp finished.  
Size: M / L



## OTHER OPTIONS






## ■ R186

Mountable with "snap in" toe clip system




- **BODY** : Plastic black
- **CAGE** : Aluminum / ED black or anodized ;  
Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 103.5 \* 63 \* 23.5 mm
- **ORIGIN** : Taiwan & China



"Direct snap in"

## ■ R090

Mountable with "snap in" toe clip system



- **BODY** : One piece plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 79.8 \* 24 mm
- **ORIGIN** : Taiwan



# C002B



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 101.7 \* 65.4 \* 29.8mm
- **OPTION** : Ball bearing version as C002
- **ORIGIN** : Taiwan



## ■ C099



- **BODY** : Aluminum / Barrel silver
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 93.5 \* 66 \* 28.5 mm
- **OPTION** : Sealed bearing version as C099B
- **ORIGIN** : Taiwan

## ■ WPD-M17C



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 100.8 \* 65.2 \* 27.2 mm
- **ORIGIN** : Taiwan

## ■ WPD-95B



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 101.7 \* 65.4 \* 29.8 mm
- **ORIGIN** : Taiwan



## ■ C161



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107 \* 78 \* 26 mm
- **OPTION** : C161V C161C
- **ORIGIN** : Taiwan

## ■ C162



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 92 \* 78 \* 25 mm
- **OPTION** : C162V C162C
- **ORIGIN** : Taiwan

## ■ C165



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 92.5 \* 78 \* 25 mm
- **OPTION** : C165V C165C
- **ORIGIN** : Taiwan

## ■ C129



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 88.6 \* 60 \* 21.6 mm
- **ORIGIN** : Taiwan

## ■ C134



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 92.6 \* 90.1 \* 28 mm
- **OPTION** : C134V C134C
- **ORIGIN** : Taiwan

## ■ C091



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : 2 Sealed
- **SIZE** : 92.6 \* 90 \* 27.4 mm
- **OPTION** : C091V C091C
- **ORIGIN** : Taiwan

## ■ C006



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 95 \* 61.5 \* 22.9 mm
- **ORIGIN** : Taiwan

## ■ LU-C27G



- **BODY** : Aluminum / ED black with CNC machined
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 101.5 \* 63.3 \* 23.3 mm
- **OPTION** : Sealed bearing version as LU-C27GB
- **ORIGIN** : Taiwan

## ■ C139



- **BODY** : Aluminum 6061 extruded / CNC machined / Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 89 \* 60 \* 21.6 mm
- **ORIGIN** : Taiwan

## ■ C128



- **BODY** : Aluminum / Barrel silver
- **CAGE** : Aluminum / ED black or anodized Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106.3 \* 63 \* 24 mm
- **OPTION** : Sealed bearing version as C128B
- **ORIGIN** : Taiwan & China

## ■ C089B



- **BODY** : Aluminum / Barrel silver or polished
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 86.7 \* 63.2 \* 20 mm
- **OPTION** : Ball bearing version as C089
- **ORIGIN** : Taiwan

## ■ C127



- **BODY** : Plastic
- **CAGE** : Aluminum / ED black or anodized Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106.3 \* 63 \* 24 mm
- **ORIGIN** : Taiwan & China



## ■ C188

Mountable with "snap in" toe clip system



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 105.3 \* 63 \* 24 mm
- **ORIGIN** : Taiwan & China

## ■ C174



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 110 \* 80 \* 25 mm
- **ORIGIN** : Taiwan & China

## ■ C175



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 110 \* 80 \* 25 mm
- **ORIGIN** : Taiwan & China

## ■ C169



- **BODY** : Aluminum / Barrel silver with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 105 \* 80 \* 27 mm
- **OPTION** : Sealed bearing version as C169B
- **ORIGIN** : Taiwan & China

## ■ C098



- **BODY** : Aluminum body with plastic cage overmolded
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 79.5 \* 24 mm
- **OPTION** : Sealed bearing version as C098B
- **ORIGIN** : Taiwan

## ■ C097



- **BODY** : Plastic with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 79.5 \* 24 mm
- **ORIGIN** : Taiwan

## ■ C016



- **BODY** : Aluminum /  
Barrel silver with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 91 \* 30 mm
- **OPTION** : Sealed bearing version as C016B
- **ORIGIN** : Taiwan

## ■ C122



- **BODY** : Aluminum /  
Barrel silver with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 100 \* 83 \* 25 mm
- **OPTION** : Sealed bearing version as C122B
- **ORIGIN** : Taiwan

## ■ C-32B



- **BODY** : Aluminum /  
Barrel silver with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 102.9 \* 69.6 \* 24.2 mm
- **OPTION** : Ball bearing version as C32
- **ORIGIN** : Taiwan

## ■ C145



- **BODY** : Aluminum / Barrel silver  
Aluminum overmolded kraton
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 96 \* 70.5 \* 24 mm
- **OPTION** : Sealed bearing version as C145B
- **ORIGIN** : Taiwan & China

## ■ C160



- **BODY** : Plastic with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 120 x 80 x 27mm
- **ORIGIN** : Taiwan

## ■ C112



- **BODY** : Plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 x 75 x 27mm
- **ORIGIN** : Taiwan & China



# B143



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107.3 \* 100 \* 26.1 mm
- **OPTION** : B143V B143C
- **ORIGIN** : Taiwan



## FEATURES:

1. Lighter and Larger platform with patent applied on shape design.
2. Unique pedal surface offers user the customize pins location.
3. Grease hole design to provide users to maintain pedal in the best condition.

## B164



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104 \* 100 \* 26 mm
- **OPTION** : B164V B164C
- **ORIGIN** : Taiwan

## B166



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104 \* 100 \* 26.5 mm
- **OPTION** : B166V B166C
- **ORIGIN** : Taiwan

## B150



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104.5 \* 100 \* 26 mm
- **OPTION** : B150V B150C
- **ORIGIN** : Taiwan

## ■ B114



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107.3 \* 100 \* 25.9 mm
- **OPTION** : B114V B114C
- **ORIGIN** : Taiwan

## ■ B117



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107.4 \* 100 \* 24.5 mm
- **OPTION** :  
B117R B117V B117C
- **ORIGIN** : Taiwan

## ■ B124



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107.3 \* 100 \* 25.7 mm
- **OPTION** : B124V B124C
- **ORIGIN** : Taiwan

## ■ B132



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 103.5 \* 100 \* 25 mm
- **OPTION** : B132V B132C
- **ORIGIN** : Taiwan

## ■ B144



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104 \* 100 \* 26.6 mm
- **OPTION** : B144V B144C
- **ORIGIN** : Taiwan



## ■ B131



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104 \* 100 \* 25.9 mm
- **OPTION** : B131V B131C
- **ORIGIN** : Taiwan

## ■ B103



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 107 \* 100 \* 26.3 mm
- **OPTION** : B103V B103C
- **ORIGIN** : Taiwan

## ■ B030



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 109.5 \* 100 \* 21.9 mm
- **OPTION** : B030R B030V   
B030C
- **ORIGIN** : Taiwan

## ■ B060



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 103 \* 100 \* 23.6 mm
- **OPTION** :  
B060R B060V B060C
- **ORIGIN** : Taiwan



## ■ B064



- **BODY** : Aluminum 6061 extruded/  
CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104.8 \* 100 \* 23.6 mm
- **OPTION** :  
B064R B064V B064C
- **ORIGIN** : Taiwan





## ■ WAM-D10



- **BODY** : Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Needle / DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 109.1 \* 94.7 \* 33.8 mm
- **ORIGIN** : Taiwan



## ■ W-70



- **BODY** : Aluminum / ED black / CNC machined
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 104 \* 89 \* 30.1 mm
- **ORIGIN** : Taiwan

## ■ B118



- **BODY** : Aluminum 6061 extruded/ CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 103.6 \* 100 \* 24.2 mm
- **OPTION** : B118V B118C
- **ORIGIN** : Taiwan

## ■ B065



- **BODY** : Aluminum 6061 extruded/ CNC machined/ Anodized
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 104.5 \* 100 \* 24 mm
- **OPTION** : B065R B065V B065C
- **ORIGIN** : Taiwan

## ■ MG-1



- **BODY** : Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 114.6 \* 106.2 \* 30.8 mm
- **OPTION** : MG1R MG1V MG1C
- **ORIGIN** : Taiwan



## ■ B087B



- **BODY** : Aluminum / ED black or painted color ;  
Magnesium / Painted color
  - **SPINDLE** : Cr-Mo
  - **BEARING** : DU / Sealed
  - **SIZE** : 109 \* 100.5 \* 26 mm
  - **OPTION** : Ball bearing version as B087 with mold pin
- B087U B087BR B087BV B087BC
- **ORIGIN** : Taiwan & China



## ■ B102B



- **BODY** : Aluminum / ED black or painted color ;  
Magnesium / Painted color
  - **SPINDLE** : Cr-Mo
  - **BEARING** : DU / Sealed
  - **SIZE** : 113.5 \* 102 \* 27.6 mm
  - **OPTION** : Ball bearing version as B102
- B102U B102BR B102BV B102BC
- **ORIGIN** : Taiwan

## ■ LU-A52



- **BODY** : Aluminum / ED black or painted color  
Magnesium MG-52 / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : DU / Sealed
- **SIZE** : 109 \* 106 \* 25 mm
- **OPTION** : Ball bearing version as LU-A52A
- **ORIGIN** : Taiwan

## ■ B137B



- **BODY** : Aluminum / ED black or painted color ;  
Magnesium / Painted color
  - **SPINDLE** : Cr-Mo
  - **BEARING** : DU / Sealed
  - **SIZE** : 107.5 \* 94 \* 32 mm
  - **OPTION** : Ball bearing version as B137 with mold pin
- B137BV B137BC
- **ORIGIN** : Taiwan

## ■ B155



- **BODY** : Aluminum / ED black or painted color ;  
Magnesium / Painted color
  - **SPINDLE** : Cr-Mo
  - **BEARING** : Ball Bearing
  - **SIZE** : 108.5 \* 100 \* 28 mm
  - **OPTION** : Sealed bearing version as B155B
- B155U B155BR B155BV B155BC
- **ORIGIN** : Taiwan

## ■ B121



- **BODY** : Aluminum / Barrel silver or ED black ; Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball Bearing
- **SIZE** : 112 \* 100 \* 30.5 mm
- **OPTION** : Sealed bearing version as B121B
- B121R B121BV B121BC
- **ORIGIN** : Taiwan



## ■ B133



- **BODY** : Aluminum / Barrel silver or ED black ; Magnesium / Painted color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball Bearing
- **SIZE** : 105.4 \* 90.2 \* 28 mm
- **OPTION** : Sealed bearing version as B133B
- B133BU B133U B133V B133C
- **ORIGIN** : Taiwan

## ■ B017



- **BODY** : Aluminum / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 108 \* 102 \* 28.8 mm
- **OPTION** : B017A B017R
- B017V B017C
- **ORIGIN** : Taiwan & China

## ■ B123 PLATFORM



- **BODY** : Plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 111 \* 98.7 \* 26.5 mm
- **ORIGIN** : Taiwan



## ■ B088



- **BODY** : Plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102 \* 28.5 mm
- **ORIGIN** : Taiwan & China





## ■ B109P



PC



- **BODY** : Nylon with fiber as B109N  
Translucent color as B109P
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 111 \* 102.5 \* 30 mm
- **ORIGIN** : Taiwan

PC  
(Strap mountable)

## ■ B152



Nylon



- **BODY** : One piece plastic black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 101 \* 90 \* 27.5 mm
- **OPTION** : PC translucent body as B152P  
Nylon with fiber as B152N
- **ORIGIN** : Taiwan

PC  
(Strap mountable)

## ■ B108RP



Rubine Red

- **BODY** : Translucent color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102.4 \* 32 mm
- **ORIGIN** : Taiwan

## ■ B108RN



154C

- **BODY** : Nylon with fiber
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102.4 \* 32 mm
- **ORIGIN** : Taiwan

## ■ B107P



347C



- **BODY** : Translucent color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102.4 \* 28.4 mm
- **ORIGIN** : Taiwan

## ■ B107N



576C



- **BODY** : Nylon with fiber
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102.4 \* 28.4 mm
- **ORIGIN** : Taiwan

## ■ B107UV



- **BODY** : UV material
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 112 \* 102.4 \* 28.4 mm
- **ORIGIN** : Taiwan



2708A



3945B



#19



#14

### UV PEDAL:

UV material pedal will change color under UV ray or sunlight and without the element it will return back to the original color, the color is changed relies on the UV ray.

### WARNING:

1. Prohibited to have the UV pedal to be displayed under the spotlight for long period, which may destroy the UV element and reduce the function.
2. Color-changing function will decrease if the pedal continuous been exposed under the UV light for 336 hours.

## ■ STAP

W7



Black

W8



Black



Camouflage



Reflective



## ■ Color option for nylon material



Black



528C



186C



154C



292C



802C

## ■ Color option for PC material



Black



Clear



364C



154C



347C



528C



236C

## ■ Neon Colors



802C



810C



811C

## ■ Luminous

579C



Expose to light for 15 mins.


Glow in the dark for 20 mins.



## ■ E148B



- **BODY** : Aluminum / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : 3 Sealed
- **CLEAT** : 98A or Shimano 51 compatible RC7A / B / C, LOOK "KEO" cleat compatible
- **SIZE** : 99 \* 87.5 \* 43.5 mm
- **OPTION** : Ball bearing version as E148
- **ORIGIN** : Taiwan



Toe Clip adapter : 0°

Push down the buckle



Have the strap through the buckle



Release the buckle



Have the strap go through the upper hole of the buckle to hold the strap



## ■ WPD-E003



- **BODY** : Aluminum / ED black
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 102.4 \* 72.4 \* 34.9 mm
- **OPTION** :  
W/O QBS or toe clip strap as E003  
3 Sealed bearing version as WPD-E003B
- **ORIGIN** : Taiwan



## ■ WPD-E14



- **BODY** : Aluminum barrel silver with kraton top
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **CLEAT** : 98A or Shimano 51 compatible
- **SIZE** : 109 \* 157 \* 34.8 mm
- **OPTION** :  
W/O QBS or toe clip strap as E-14  
Sealed bearing version as WPD-E14B
- **ORIGIN** : Taiwan







## ■ F159



- **BODY** : PC black
- **CAGE** : PC black or translucent Color
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 80.5 \* 28 mm
- **ORIGIN** : Taiwan & China



The washer could help better contact while install the pedal into crank arm.



## ■ F147



- **BODY** : PC black
- **CAGE** : Aluminum / ED black or barrel silver
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 81 \* 30 mm
- **ORIGIN** : Taiwan & China



## ■ FP-7



- **BODY** : Aluminum / ED black or barrel silver
- **CAGE** : Aluminum / ED black or barrel silver
- **SPINDLE** : Cr-Mo
- **BEARING** : Ball bearing
- **SIZE** : 100 \* 81 \* 25.8 mm
- **ORIGIN** : Taiwan & China



## TOE CLIP

### MT-3

Double support design with instep guard.  
MT-3 size L,  
MT-4 size S,  
MT-5 size M.



### MT-6

Large supportive design with instep guard.



### MT-7

Mini toe-clip  
Size: 82.7 x 53.8mm



### RP-1

Classic road racing toe-clip  
Size: M / L



### MT-10

Strapless toe-clip for technical or casual riding.



### MT-11

Large supportive design with instep guard and built-in reflector.  
MT-11 size L,  
MT-12 size M.



### MT-14

Double supportive design with built-in reflector.  
MT-13 size M,  
MT-14 size L.



### MT-19

Size: S / M / L / XL



## NYLON TOE-STRAP

### W-4

Nylon toe-strap with heavy-duty buckle.



Black

### W-2



Black



White



Grey



Green



Blue



Red

### SC-1


Foot guard to any strap attachable.



## SPINDLE


### K001

Axle replacement kit.



### K004

Bearing replacement kit.





## WRENCH

28-1 (2mm)



28-8 (4mm)  
For C-Pin



28-2 (6mm)



28-9



## PIN OPTIONS

Color:



A-Pin

28-B19 6mm  
28-B7 6mm



U-Pin

28-11 11mm  
28-12 12mm



C-Pin

33-C9 9mm




V-Pin

33-V9 9.5mm



R-Pin

33-R9 9.5mm



## REFLECTOR



### BOLT TYPE

Bolt-on reflector set for  
standard MTB pedals.  
25 g/pr



### SNAP ON

Snap-on reflector set.




### LONG SNAP ON

Extra-long snap-on  
reflector set.

### 98A-R

Reflector for  
pedals using 98A cleat.  
60 g/pr



### RR1-5



Flash for warning

# CLEAT



**98A**  
Cleat kit with improved  
mud clearance features.  
4 degree float  
52 g/pr



**98R**  
Cleat kit  
4 degree float  
77 g/pr



**99A**  
Cleat kit  
4 degree float  
49 g/pr



**RC8**  
New cleat design for mountain clipless pedal  
to be assembled on LOOK style shoes.  
MATERIAL : Cr-Mo  
126 g/pr



**RC-3**  
Cleat kit for WAM-R2 and R4.  
4 degree float  
105 g/pr



**RC-4**  
Cleat kit for WAM-R2 and R4.  
4 degree float  
93 g/pr



**RC-5**  
Cleat kit for WAM-R1, R3 and MG-9, W40, CR-1.  
9 degree lateral float  
90 g/pr



**RC-6**  
Cleat kit for WAM-R1, R3 and MG-9, W40, CR-1.  
0 degree lateral float  
90 g/pr








**RF-5A**  
Cleat kit for R096  
9 degree lateral float  
76 g/pr



**RF-5B**  
Cleat kit for R096  
6 degree lateral float  
76 g/pr



**RF-5C**  
Cleat kit for R096  
0 degree lateral float  
76 g/pr



**RC-7A**  
Cleat kit for R096 & E148  
9 degree lateral float  
82 g/pr



**RC-7B**  
Cleat kit for R096 & E148  
6 degree lateral float  
82 g/pr



**RC-7C**  
Cleat kit for R096 & E148  
0 degree lateral float  
82 g/pr

# WellMag



## ■ 52T

- BCD : 130 mm
- OD : 218 mm
- FOR : Road, Folding bike



## ■ 53T

- BCD : 130 mm
- OD : 223 mm
- FOR : Road



## ■ 44T

- BCD : 104 mm
- OD : 185 mm
- FOR : MTB



## FEATURES

- \* One piece aluminum.
- \* Suitable for road bike, Folding bike.
- \* Prevent the bottom of the trousers get into the chainwheel.



## ■ LU-934



- BODY : Aluminum/ Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 78 \* 33.5 mm
- ORIGIN : Taiwan & China

## ■ LU-946



- BODY : Aluminum/ Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 100 \* 78 \* 32 mm
- ORIGIN : Taiwan & China

## ■ LU-964



- BODY : Aluminum/ Barrel silver
- CAGE : Aluminum or Steel / ED black
- SPINDLE : Boron
- BEARING : Ball bearing
- SIZE : 102 \* 70 \* 31 mm
- ORIGIN : Taiwan & China



## ■ LU-C9



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 70 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C3




- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 63 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C4



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 109.5 \* 62 \* 29 mm
- **ORIGIN** : Taiwan & China

## ■ LU-933



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 102 \* 75 \* 33 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C25



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 64.5 \* 28.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-895



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 104.5 \* 77 \* 31.5 mm
- **OPTION** : Build in reflector as LU-895N  
Ball less as LU-895NB
- **ORIGIN** : Taiwan & China

## ■ LU-883



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 110 \* 79 \* 31
- **ORIGIN** : Taiwan & China

## ■ LU-207



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 76 \* 31.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-945



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 78 \* 32.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-922



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 91.5 \* 32.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-983



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 107.5 \* 78 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-947



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 82.5 \* 32 mm
- **ORIGIN** : Taiwan & China



## ■ LU-944



- **BODY** : Aluminum/ Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 98 \* 74.3 \* 29 mm
- **ORIGIN** : Taiwan & China

## ■ R-11



- **BODY** : Plastic black
- **CAGE** : Aluminum / ED black or anodized
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63 \* 29 mm
- **ORIGIN** : Taiwan & China

## ■ LU-948



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 97 \* 70 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C015



- **BODY** : Aluminum/ Barrel silver
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63.3 \* 24.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C014



- **BODY** : Plastic black
- **CAGE** : Aluminum or Steel / ED black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 96 \* 63 \* 24 mm
- **ORIGIN** : Taiwan & China

## ■ LU-975



- **BODY** : Aluminum /  
Barrel silver with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 71.5 \* 31 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C33



- **BODY** : Aluminum /  
Barrel silver with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 107 \* 70 \* 26.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-978



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 71 \* 30.5 mm
- **ORIGIN** : Taiwan & China

## ■ C157



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 63.3 \* 24.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P6



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108 \* 96 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-990



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106.5 \* 94 \* 33.2 mm
- **ORIGIN** : Taiwan & China



## ■ LU-T9



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 69.5 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C34



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108.5 \* 72 \* 28.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-206



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 110 \* 84 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-941



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 103 \* 68 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P27



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 102 \* 83 \* 29 mm
- **ORIGIN** : Taiwan & China

## ■ LU-884



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 105 \* 72 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-C35



- **BODY** : Plastic with kraton top
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 105 \* 73.5 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P26



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 111 \* 83 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-894



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108.5 \* 68.5 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-866



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 71.5 \* 36.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-468



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108.5 \* 69 \* 31.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-892



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 75 \* 31 mm
- **ORIGIN** : Taiwan & China



## ■ LU-942NB



- **BODY** : Plastic black
- **SPINDLE** : Steel
- **BEARING** : Ball-less
- **SIZE** : 90.5 \* 61.5 \* 26 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P20



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 82 \* 54.5 \* 31 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P21



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 90 \* 65 \* 31 mm
- **ORIGIN** : Taiwan & China

## ■ LU-873



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 90 \* 65 \* 29 mm
- **ORIGIN** : Taiwan & China

## ■ LU-937NB



- **BODY** : Plastic black
- **SPINDLE** : Steel
- **BEARING** : Ball-less
- **SIZE** : 95 \* 64 \* 27 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P14



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108 \* 70 \* 26 mm
- **ORIGIN** : Taiwan & China

## ■ LU-213NB



- **BODY** : Plastic black
- **SPINDLE** : Steel
- **BEARING** : Ball-less
- **SIZE** : 99 \* 74 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-A18



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 106 \* 104 \* 31 mm
- **ORIGIN** : Taiwan & China

## ■ LU-B81



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 109 \* 106 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-996



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 99 \* 92 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-313



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 109.5 \* 105 \* 30 mm
- **ORIGIN** : Taiwan & China

## ■ LU-A8



- **BODY** : Aluminum/  
ED black or painted color
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 111 \* 110 \* 31 mm
- **ORIGIN** : Taiwan & China



## ■ LU-P17



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 92 \* 85.5 \* 29.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-968



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 95.5 \* 81.5 \* 29.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-205



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 111.5 \* 99 \* 31.5 mm
- **ORIGIN** : Taiwan & China

## ■ LU-984



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 107 \* 95.5 \* 28 mm
- **ORIGIN** : Taiwan & China

## ■ LU-B78



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 100.5 \* 95.5 \* 32 mm
- **ORIGIN** : Taiwan & China

## ■ LU-P9



- **BODY** : Plastic black
- **SPINDLE** : Boron
- **BEARING** : Ball bearing
- **SIZE** : 108 \* 105 \* 32.5 mm
- **ORIGIN** : Taiwan & China



### **WELLGO PEDAL'S CORP.**

No. 3, Gong 7th Road, Youth Ind. Park,  
Dajia Dist., Taichung City 437,  
Taiwan

TEL: 886-4-26816991-5  
FAX: 886-4-2681-6988, 2681-6998  
[Http://www.wellgo.com.tw](http://www.wellgo.com.tw)  
E-MAIL: [wellgo@ms7.hinet.net](mailto:wellgo@ms7.hinet.net)  
[wd@mail.wellgo.com.tw](mailto:wd@mail.wellgo.com.tw)

### **WELLMAG TECHNOLOGY CO., LTD.**

No.137, Qingnian Rd., Dajia Dist.,  
Youth Ind. Park, Taichung City 437,  
Taiwan

TEL: 886-4-2682-2398-9  
FAX: 886-4-2682-1909  
[Http://www.wellmag.com.tw](http://www.wellmag.com.tw)  
E-MAIL: [wellmag1@mail.wellgo.com.tw](mailto:wellmag1@mail.wellgo.com.tw)

### **SHANGHAI FACTORY**

NO.103 Yueh-Ho South Road  
Economic & Technical Development Zone,  
Kunshan, Jiangsu, China

TEL: 86-512-57701991-4  
FAX: 86-512-57701995  
E-MAIL: [wellgo01@pub.sz.jsinfo.net](mailto:wellgo01@pub.sz.jsinfo.net)

